



### Login Failures

<u>Date and Time</u>	<u>EventID</u>	<u>LogName</u>	<u>Message</u>
saturn 10/13/2005 11:01:56AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:06:23AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:06:21AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0

## Login Failures

<u>Date and Time</u>	<u>EventID</u>	<u>LogName</u>	<u>Message</u>
10/13/2005 11:06:19AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:06:17AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:06:15AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:06:13AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0

## Login Failures

<u>Date and Time</u>	<u>EventID</u>	<u>LogName</u>	<u>Message</u>
10/13/2005 11:05:12AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:04:34AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:04:30AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:03:24AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0

## Login Failures

<u>Date and Time</u>	<u>EventID</u>	<u>LogName</u>	<u>Message</u>
10/13/2005 11:03:19AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:03:14AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:03:10AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:07:59AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0

## Login Failures

<u>Date and Time</u>	<u>EventID</u>	<u>LogName</u>	<u>Message</u>
10/13/2005 10:57:20AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 10:54:12AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 10:54:14AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 10:54:15AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0

## Login Failures

<u>Date and Time</u>	<u>EventID</u>	<u>LogName</u>	<u>Message</u>
10/13/2005 10:54:16AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 10:54:17AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:03:06AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 10:54:50AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0

## Login Failures

<u>Date and Time</u>	<u>EventID</u>	<u>LogName</u>	<u>Message</u>
10/13/2005 11:02:31AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:01:45AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:01:47AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:01:49AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0

## Login Failures

<u>Date and Time</u>	<u>EventID</u>	<u>LogName</u>	<u>Message</u>
10/13/2005 11:01:51AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:01:54AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:08:01AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 10:54:18AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0

## Login Failures

<u>Date and Time</u>	<u>EventID</u>	<u>LogName</u>	<u>Message</u>
10/13/2005 11:21:39AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:07:53AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:15:55AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: mmcgillis Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:21:17AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0

## Login Failures

<u>Date and Time</u>	<u>EventID</u>	<u>LogName</u>	<u>Message</u>
10/13/2005 11:21:22AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:21:26AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:14:54AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:21:35AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0

## Login Failures

<u>Date and Time</u>	<u>EventID</u>	<u>LogName</u>	<u>Message</u>
10/13/2005 11:14:52AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:22:15AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:22:49AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:22:54AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0

## Login Failures

<u>Date and Time</u>	<u>EventID</u>	<u>LogName</u>	<u>Message</u>
10/13/2005 11:23:04AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:23:09AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:23:13AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:21:29AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0

## Login Failures

<u>Date and Time</u>	<u>EventID</u>	<u>LogName</u>	<u>Message</u>
10/13/2005 11:13:29AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:08:03AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:08:05AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:08:08AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0

## Login Failures

<u>Date and Time</u>	<u>EventID</u>	<u>LogName</u>	<u>Message</u>
10/13/2005 11:10:45AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:14:58AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:13:27AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:23:48AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0

## Login Failures

<u>Date and Time</u>	<u>EventID</u>	<u>LogName</u>	<u>Message</u>
10/13/2005 11:13:31AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:13:33AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:13:35AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:14:14AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0

## Login Failures

<u>Date and Time</u>	<u>EventID</u>	<u>LogName</u>	<u>Message</u>
10/13/2005 11:14:47AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:14:50AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0
10/13/2005 11:13:25AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: jeff Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SATURN Caller User Name: SATURN\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 488 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0

SAURON

## Login Failures

<u>Date and Time</u>	<u>EventID</u>	<u>LogName</u>	<u>Message</u>
10/12/2005 11:07:05AM	529	Security	Logon Failure: Reason: Unknown user name or bad password User Name: mmcgillis Domain: INTERNAL Logon Type: 2 Logon Process: User32 Authentication Package: Negotiate Workstation Name: SAURON Caller User Name: SAURON\$ Caller Domain: INTERNAL Caller Logon ID: (0x0,0x3E7) Caller Process ID: 644 Transited Services: - Source Network Address: 127.0.0.1 Source Port: 0