

Global report

Additional computer filter:
-Only for the domain: TESTAD

TESTAD

Domain Computers

TEST1

Type : Windows NT
Operating System: Windows 2000 **Langage:** English
Service Pack: Service Pack 4
Internet Explorer: 5.0 SP 4
Installation date: 24/06/2003 18:47:29 **Last boot date:** 01/07/2003 07:54:12
Last User: TESTAD\administrator
Registered User: jh
Registered Organization: isd
System folder: F:\WINNT
Program files folder: F:\Program Files
Common folder: F:\Program Files\Common Files
BIOS Type: PhoenixBIOS 4.0 Release 6.0
BIOS Date: 03/15/99
Model: V433
Manufacturer: Dell Computer Corporation
Serial: QDYT8
Motherboard: AR440BX
Motherboard manufacturer: Intel Corporation
Motherboard serial: 0007328C1246193F01QL

Services

Internal Name	Display Name	Start Mode
---------------	--------------	------------

Alerter	Alerter	Manual
AppMgmt	Application Management	Manual
wuauserv	Automatic Updates	Automatic
BITS	Background Intelligent Transfer Service	Manual
ClipSrv	ClipBook	Manual
EventSystem	COM+ Event System	Manual
Browser	Computer Browser	Automatic
Dhcp	DHCP Client	Automatic
TrkWks	Distributed Link Tracking Client	Automatic
MSDTC	Distributed Transaction Coordinator	Manual
Dnscache	DNS Client	Automatic
Eventlog	Event Log	Automatic
EvenTrigger	EvenTrigger	Automatic
Fax	Fax Service	Manual
cisvc	Indexing Service	Manual
SharedAccess	Internet Connection Sharing	Manual
PolicyAgent	IPSEC Policy Agent	Automatic
dmserver	Logical Disk Manager	Automatic
dmadmin	Logical Disk Manager Administrative Service	Manual
Messenger	Messenger	Automatic
Netlogon	Net Logon	Automatic
mnmsrvc	NetMeeting Remote Desktop Sharing	Manual
Netman	Network Connections	Manual
NetDDE	Network DDE	Manual
NetDDEdsdm	Network DDE DSDM	Manual
NtLmSsp	NT LM Security Support Provider	Manual
SysmonLog	Performance Logs and Alerts	Manual
PlugPlay	Plug and Play	Automatic
Spooler	Print Spooler	Automatic
ProtectedStorage	Protected Storage	Automatic
RSVP	QoS RSVP	Manual
RasAuto	Remote Access Auto Connection Manager	Manual
RasMan	Remote Access Connection Manager	Manual
RpcSs	Remote Procedure Call (RPC)	Automatic
RpcLocator	Remote Procedure Call (RPC) Locator	Manual
RemoteRegistry	Remote Registry Service	Automatic
NtmsSvc	Removable Storage	Automatic
RemoteAccess	Routing and Remote Access	Disabled
seclogon	RunAs Service	Automatic
SamSs	Security Accounts Manager	Automatic
Ianmanserver	Server	Automatic
SCardSvr	Smart Card	Manual
SCardDrv	Smart Card Helper	Manual
SENS	System Event Notification	Automatic
Schedule	Task Scheduler	Automatic
LmHosts	TCP/IP NetBIOS Helper Service	Automatic
TapiSrv	Telephony	Manual
TIntSvr	Telnet	Manual
UPS	Uninterruptible Power Supply	Manual
UtilMan	Utility Manager	Manual
winvnc	VNC Server	Automatic

MSIServer	Windows Installer	Manual
WinMgmt	Windows Management Instrumentation	Automatic
Wmi	Windows Management Instrumentation Driver Extensions	Manual
W32Time	Windows Time	Automatic
WZCSVC	Wireless Configuration	Manual
Ianmanworkstation	Workstation	Automatic

Users

Administrator

SID: S-1-5-21-1659004503-813497703-839522115-500
Account: TEST1\Administrator
Full name:
Comment:
Last Logon: 27/06/2003 06:00:37 **Last Logoff:**
Privilege: Administrator

Guest

SID: S-1-5-21-1659004503-813497703-839522115-501
Account: TEST1\Guest
Full name:
Comment:
Last Logon: **Last Logoff:**
Privilege: Guest

Groups

Administrators

Account: TEST1\Administrators

Members

TEST1\Administrator	
TESTAD\Domain Admins	Domain Admins

Backup Operators

Account: TEST1\Backup Operators

Members

Guests

Account: TEST1\Guests

Members

TEST1\Guest	
-------------	--

Power Users

Account: TEST1\Power Users

Members

Replicator

Account: TEST1\Replicator

Members

Users

Account: TEST1\Users

Members

TESTAD\Domain Users	Domain Users
---------------------	--------------

Shares

\\TEST1\ADMIN\$	F:\WINNT	Remote Admin
\\TEST1\C\$	C:\	Default share
\\TEST1\Copy	C:\Copy	
\\TEST1\copy2	D:\copy	
\\TEST1\D\$	D:\	Default share
\\TEST1\F\$	F:\	Default share
\\TEST1\IPC\$		Remote IPC

Hot fixes

Q147222 ServicePackUninstall

Software

Product name	Version	Installed
EvenTrigger	1.62.0000	07/02/03
PowerToy Fenêtre de commandes contextuelle		07/01/03
RemoteExec 3.02	3.02	06/26/03
VisualRoute		06/26/03
VNC 3.3.4	3.3.4	06/26/03
WebFldrs	9.00.3501	06/24/03
Windows 2000 Service Pack 4		07/01/03
WinReporter	2.00.000	07/01/03

Network Configuration

DNS	Servers			
Adapter	Dhcp	IPs	Gateways	MAC
3Com EtherLink III ISA (3C509b-Combo)	1			
Intel 82558-based Integrated Ethernet with Wake on LAN*	0	10.1.3.1/255.255.0.0	10.1.1.1	00-90-27-3E-7E-23

Network Protocols

Internet Protocol (TCP/IP)	Layer 2 Tunneling Protocol
Message-oriented TCP/IP Protocol (SMB session)	NDIS Usermode I/O Protocol
Point to Point Tunneling Protocol	Remote Access NDIS WAN Driver
WINS Client(TCP/IP) Protocol	

Client services

Client for Microsoft Networks

Server Services

Dial-Up Client	Dial-Up Server
File and Printer Sharing for Microsoft Networks	Generic Packet Classifier
NetBIOS Interface	QoS RSVP
Remote Access Connection Manager	Steelhead
Wireless Configuration	

Disk Partitions

Volume	Size (GB)	Free space (GB)	File system	Volume name
C	2,93	0,41	NTFS	
D	3,62	0,73	NTFS	
F	1,95	0,72	NTFS	Local Disk Win2K

Storage device	Type	Volume	Cable	Position
Floppy disk drive	Floppy	A		
Maxtor 90913D4	Disk	C D F	0	0
TOSHIBA CD-ROM XM-6402B	CD-ROM	E	1	0

Video configuration

Type	Memory (MB)	Colors	Resolution (H)	Resolution (V)
ATI Technologies Inc. 3D RAGE PRO AGP 2X	8,00	32	1024	768

Processors

CPU idle time: 97,76%

Model	Vendor	Frequency (MHz)	Bus (MHz)	L1 (KB)	L2 (KB)	L3 (KB)
Celeron	Intel	433	66	32	128	

Memory

RAM: 256 MB In use: 123 MB

Swap file path	Min size (MB)	Max size (MB)	Size (MB)	Usage (%)	Usage Peak (%)
F:\pagefile.sys	384	768	384	2,5	2,6

Memory Slot	Installed (MB)	Max (MB)	Type	Speed (MHz)
J6J1	128	256	DRAM	
J7J1	64	256	DRAM	
J6J2	64	256	DRAM	

TEST10

Type : Windows NT Server, Primary Domain Controller, Server running the Timesource service, running the master Browser service

Operating System: Windows 2003 **Langage:** English

Service Pack:

Internet Explorer: 6.0 **Last boot date:** 01/07/2003 12:42:52

Installation date: 29/04/2003 11:03:21

Last User: TESTAD\administrator

Registered User: jnh

Registered Organization: isd

System folder: C:\WINDOWS

Program files folder: C:\Program Files

Common folder: C:\Program Files\Common Files

BIOS Type: 761686 - 42302e31

BIOS Date: 08/10/01

Model:

Manufacturer:

Serial:

Motherboard: 761-686B(KG7)

Motherboard manufacturer: ABIT

Motherboard serial: 6A6S6A1A

Services

Internal Name	Display Name	Start Mode
Alerter	Alerter	Manual
ALG	Application Layer Gateway Service	Manual
AppMgmt	Application Management	Manual
wuauerv	Automatic Updates	Automatic
BITS	Background Intelligent Transfer Service	Manual
ClipSrv	ClipBook	Disabled
EventSystem	COM+ Event System	Manual
COMSysApp	COM+ System Application	Manual
Browser	Computer Browser	Automatic
CryptSvc	Cryptographic Services	Automatic
Dhcp	DHCP Client	Automatic
Dfs	Distributed File System	Automatic
TrkWks	Distributed Link Tracking Client	Manual
TrkSvr	Distributed Link Tracking Server	Disabled
MSDTC	Distributed Transaction Coordinator	Automatic
Dnscache	DNS Client	Automatic
DNS	DNS Server	Automatic

ERSvc	Error Reporting Service	Automatic
Eventlog	Event Log	Automatic
EvenTrigger	EvenTrigger	Automatic
NtFrs	File Replication Service	Automatic
helpsvc	Help and Support	Automatic
HTTPFilter	HTTP SSL	Manual
HidServ	Human Interface Device Access	Disabled
IISADMIN	IIS Admin Service	Automatic
ImapiService	IMAPI CD-Burning COM Service	Disabled
CiSvc	Indexing Service	Disabled
SharedAccess	Internet Connection Firewall (ICF) / Internet Connection Sharing (ICS)	Disabled
IsmServ	Intersite Messaging	Automatic
PolicyAgent	IPSEC Services	Automatic
kdc	Kerberos Key Distribution Center	Automatic
LicenseService	License Logging	Disabled
dmserver	Logical Disk Manager	Automatic
dmdadmin	Logical Disk Manager Administrative Service	Manual
Messenger	Messenger	Automatic
swprv	Microsoft Software Shadow Copy Provider	Manual
Netlogon	Net Logon	Automatic
mnmsrvc	NetMeeting Remote Desktop Sharing	Disabled
Netman	Network Connections	Manual
NetDDE	Network DDE	Disabled
NetDDEdsdm	Network DDE DSDM	Disabled
Nla	Network Location Awareness (NLA)	Manual
NtLmSsp	NT LM Security Support Provider	Manual
SysmonLog	Performance Logs and Alerts	Manual
PlugPlay	Plug and Play	Automatic
WmdmPmSN	Portable Media Serial Number Service	Manual
Spooler	Print Spooler	Automatic
ProtectedStorage	Protected Storage	Automatic
RasAuto	Remote Access Auto Connection Manager	Manual
RasMan	Remote Access Connection Manager	Manual
RDSessMgr	Remote Desktop Help Session Manager	Manual
RpcSs	Remote Procedure Call (RPC)	Automatic
RpcLocator	Remote Procedure Call (RPC) Locator	Manual
RemoteRegistry	Remote Registry	Automatic
NtmsSvc	Removable Storage	Manual
RSoPProv	Resultant Set of Policy Provider	Manual
RemoteAccess	Routing and Remote Access	Disabled
seclogon	Secondary Logon	Automatic
SamSs	Security Accounts Manager	Automatic
Ianmanserver	Server	Automatic
ShellHWDetection	Shell Hardware Detection	Automatic
SCardSvr	Smart Card	Manual
sacsvr	Special Administration Console Helper	Manual
SENS	System Event Notification	Automatic
Schedule	Task Scheduler	Automatic
LmHosts	TCP/IP NetBIOS Helper	Automatic
TapiSrv	Telephony	Manual

TIntSvr	Telnet	Disabled
TermService	Terminal Services	Manual
Tssdis	Terminal Services Session Directory	Disabled
Themes	Themes	Disabled
UPS	Uninterruptible Power Supply	Manual
uploadmgr	Upload Manager	Manual
UL2000	UserLock 2000	Automatic
vds	Virtual Disk Service	Manual
winvnc	VNC Server	Automatic
VSS	Volume Shadow Copy	Manual
WebClient	WebClient	Disabled
AudioSrv	Windows Audio	Disabled
stisvc	Windows Image Acquisition (WIA)	Disabled
MSIServer	Windows Installer	Manual
winmgmt	Windows Management Instrumentation	Automatic
Wmi	Windows Management Instrumentation Driver Extensions	Manual
W32Time	Windows Time	Automatic
WinHttpAutoProxySvc	WinHTTP Web Proxy Auto-Discovery Service	Manual
WZCSVC	Wireless Configuration	Automatic
WmiApSrv	WMI Performance Adapter	Manual
Ianmanworkstation	Workstation	Automatic

Shares

\\TEST10\ADMIN\$	C:\WINDOWS	Remote Admin
\\TEST10\C\$	C:\	Default share
\\TEST10\copy	C:\copy	
\\TEST10\HomeDir	C:\HomeDir	
\\TEST10\HomeShare	C:\HomeShare	
\\TEST10\IPC\$		Remote IPC
\\TEST10\NETLOGON	C:\WINDOWS\SYSTEM32\sysvol\testad.com\SCRIPTS	Logon server share
\\TEST10\profiles	C:\profiles	
\\TEST10\SYSTEM32	C:\WINDOWS\SYSTEM32\sysvol	Logon server share

Hot fixes

KB282010	KB818529	Q147222
Q819639		

Software

Product name	Version	Installed
CConnect		06/24/03
EvenTrigger	1.62.0000	07/02/03
FileAudit	2.30.0000	04/29/03
Java 2 Runtime Environment, SE v1.4.1_03		06/26/03
Java Web Start		06/26/03
Microsoft Baseline Security Analyzer	1.1	07/01/03
RemoteExec 3.02	3.02	06/24/03
Sniffer Pro 4.7		06/24/03
UserLock 2000	2.64.0000	06/24/03
VisualRoute		06/26/03
VNC 3.3.4	3.3.4	06/26/03
Windows Media Player Hotfix [See wm819639 for more information]		06/26/03
Windows Server 2003 Hotfix - KB 282010	20030611.094941	06/30/03
Windows Server 2003 Hotfix - KB 818529	200311.111	06/24/03
WinReporter	2.00.000	07/02/03

Network Configuration

DNS	Servers		IPs	Gateways	MAC
	Adapter	Dhcp			
Realtek RTL8139 Family PCI Fast Ethernet NIC	0	10.1.3.10/255.255.0.0	10.1.1.1	00-50-FC-42-87-17	

Network Protocols

Internet Protocol (TCP/IP)	Layer 2 Tunneling Protocol
Message-oriented TCP/IP Protocol (SMB session)	NDIS Usermode I/O Protocol
Network Monitor Driver	Point to Point Protocol Over Ethernet
Point to Point Tunneling Protocol	Remote Access NDIS WAN Driver
SNIFFER Protocol Driver	WINS Client(TCP/IP) Protocol

Client services

Client for Microsoft Networks	WebClient
-------------------------------	-----------

Server Services

Application Layer Gateway	Dial-Up Client
Dial-Up Server	File and Printer Sharing for Microsoft Networks
Generic Packet Classifier	NetBIOS Interface
Network Load Balancing	Remote Access Connection Manager
Steelhead	Wireless Configuration

Disk Partitions

Volume	Size (GB)	Free space (GB)	File system	Volume name
C	10,00	6,21	NTFS	

Storage device	Type	Volume	Cable	Position
Floppy disk drive	Floppy	A		
QUANTUM FIREBALLP AS20.5	Disk	C	0	0
LG CD-ROM CRD-8521B	CD-ROM	D	1	0

Video configuration

Type	Memory (MB)	Colors	Resolution (H)	Resolution (V)
SiS 5598/6326	8,00	24	800	600

Processors

CPU idle time: 98,73%

Model	Vendor	Frequency (MHz)	Bus (MHz)	L1 (KB)	L2 (KB)	L3 (KB)
Athlon	AMD	1200	133	128	256	

Memory

RAM: 512 MB In use: 221 MB

Swap file path	Min size (MB)	Max size (MB)	Size (MB)	Usage (%)	Usage Peak (%)
C:\pagefile.sys	768	1536	768	9,3	10,3

Memory Slot	Installed (MB)	Max (MB)	Type	Speed (MHz)
BANK_2	256	32		
BANK_0	0	32		
BANK_1	0	32		

TEST3

Type : Windows NT
Operating System: Windows XP
Service Pack:
Internet Explorer: 6.0
Installation date: 24/06/2003 17:43:25
Last User: TESTAD\administrator
Registered User: jh
Registered Organization: isd
System folder: D:\WINDOWS
Program files folder: D:\Program Files
Common folder: D:\Program Files\Fichiers communs
BIOS Type: Award Modular BIOS v4.51PG
BIOS Date: 12/05/97
Model: System Name
Manufacturer: System Manufacturer
Serial: SYS-1234567890
Motherboard: TXP4
Motherboard manufacturer: ASUSTeK Computer INC.
Motherboard serial: MB-1234567890

Services

Internal Name	Display Name	Start Mode
RemoteRegistry	Accès à distance au Registre	Automatic
HidServ	Accès du périphérique d'interface utilisateur	Disabled
stisvc	Acquisition d'image Windows (WIA)	Manual
Messenger	Affichage des messages	Automatic
helpsvc	Aide et support	Automatic
RpcSs	Appel de procédure distante (RPC)	Automatic
COMSysApp	Application système COM+	Manual
LmHosts	Assistance TCP/IP NetBIOS	Automatic
AudioSrv	Audio Windows	Automatic
Alerter	Avertissement	Manual
SCardSvr	Carte à puce	Manual
WmiApSrv	Carte de performance WMI	Manual
VSS	Cliché instantané de volume	Manual
TrkWks	Client de suivi de lien distribué	Automatic
Dhcp	Client DHCP	Automatic
Dnscache	Client DNS	Automatic
FastUserSwitchingCompatibility	Compatibilité avec le Changement rapide d'utilisateur	Manual

WZCSVC	Configuration automatique sans fil	Automatic
seclogon	Connexion secondaire	Automatic
Netman	Connexions réseau	Manual
NetDDE	DDE réseau	Manual
ShellHWDetection	Détection matériel noyau	Automatic
MSDTC	Distributed Transaction Coordinator	Manual
NetDDEdsdm	DSDM DDE réseau	Manual
ProtectedStorage	Emplacement protégé	Automatic
EvenTrigger	EvenTrigger	Automatic
Browser	Explorateur d'ordinateur	Automatic
Wmi	Extensions du pilote WMI	Manual
NtLmSsp	Fournisseur de la prise en charge de sécurité LM NT	Manual
AppMgmt	Gestion d'applications	Manual
SamSs	Gestionnaire de comptes de sécurité	Automatic
RasAuto	Gestionnaire de connexion automatique d'accès distant	Manual
RasMan	Gestionnaire de connexions d'accès distant	Manual
dmserver	Gestionnaire de disque logique	Automatic
ClipSrv	Gestionnaire de l'Album	Manual
RDSessMgr	Gestionnaire de session d'aide sur le Bureau à distance	Manual
uploadmgr	Gestionnaire de téléchargement	Automatic
W32Time	Horloge Windows	Automatic
upnphost	Hôte de périphérique universel Plug-and-Play	Manual
winmgmt	Infrastructure de gestion Windows	Automatic
Eventlog	Journal des événements	Automatic
SysmonLog	Journaux et alertes de performance	Manual
RpcLocator	Localisateur d'appels de procédure distante (RPC)	Manual
wuauerv	Mises à jour automatiques	Automatic
SwPrv	MS Software Shadow Copy Provider	Manual
Nla	NLA (Network Location Awareness)	Manual
SENS	Notification d'événement système	Automatic
WmdmPmSp	Numéro de série du média portable	Automatic
UPS	Onduleur	Manual
Netlogon	Ouverture de session réseau	Automatic
SharedAccess	Pare-feu de connexion Internet (ICF) / Partage de connexion Internet (ICS)	Manual
mnmsrvc	Partage de Bureau à distance NetMeeting	Manual
Schedule	Planificateur de tâches	Automatic
PlugPlay	Plug-and-Play	Automatic
SCardDrv	Prise en charge des cartes à puces	Manual
RSVP	QoS RSVP	Manual
RemoteAccess	Routage et accès distant	Disabled
Ianmanserver	Serveur	Automatic
ImapiService	Service COM de gravage de CD IMAPI	Manual
dmadmin	Service d'administration du Gestionnaire de disque logique	Manual
cisvc	Service d'indexation	Manual
SSDP	Service de découvertes SSDP	Manual

ALG	Service de la passerelle de la couche Application	Manual
ERSvc	Service de rapport d'erreurs	Automatic
srservice	Service de restauration système	Automatic
BITS	Service de transfert intelligent en arrière-plan	Manual
CryptSvc	Services de cryptographie	Automatic
PolicyAgent	Services IPSEC	Automatic
TermService	Services Terminal Server	Manual
Spooler	Spouleur d'impression	Automatic
lanmanworkstation	Station de travail	Automatic
NtmsSvc	Stockage amovible	Manual
EventSystem	Système d'événements de COM+	Manual
TapiSrv	Téléphonie	Manual
TIntSvr	Telnet	Manual
Themes	Thèmes	Automatic
WebClient	WebClient	Automatic
MSIServer	Windows Installer	Manual

Users

Administrateur

SID: S-1-5-21-1606980848-1078145449-1957994488-500
Account: TEST3\Administrateur
Full name:
Comment:
Last Logon: **Last Logoff:**
Privilege: Administrator

administrator

SID: S-1-5-21-1606980848-1078145449-1957994488-1003
Account: TEST3\administrator
Full name:
Comment:
Last Logon: 27/06/2003 16:48:21 **Last Logoff:**
Privilege: Administrator

HelpAssistant

SID: S-1-5-21-1606980848-1078145449-1957994488-1000
Account: TEST3\HelpAssistant
Full name: Compte Assistant de l'aide sur le Bureau à distance
Comment:
Last Logon: **Last Logoff:**
Privilege: Guest

Invité

SID: S-1-5-21-1606980848-1078145449-1957994488-501
Account: TEST3\Invité
Full name:
Comment:
Last Logon: **Last Logoff:**
Privilege: Guest

SUPPORT_388945a0

SID: S-1-5-21-1606980848-1078145449-1957994488-1002
Account: TEST3\SUPPORT_388945a0
Full name: CN=Microsoft Corporation,L=Redmond,S=Washington,C=US
Comment:
Last Logon: **Last Logoff:**
Privilege: Guest

Groups

Administrateurs

Account: TEST3\Administrateurs

Members

TEST3\Administrateur	
TEST3\administrator	
TESTAD\Administrator	
TESTAD\Domain Admins	Domain Admins

Duplicateurs

Account: TEST3\Duplicateurs

Members

HelpServicesGroup

Account: TEST3\HelpServicesGroup

Members

TEST3\SUPPORT_388945a0	CN=Microsoft Corporation,L=Redmond,S=Washington,C=US
------------------------	--

Invités

Account: TEST3\Invités

Members

TEST3\Invité	
--------------	--

Opérateurs de configuration réseau

Account: TEST3\Opérateurs de configuration réseau

Members

Opérateurs de sauvegarde

Account: TEST3\Opérateurs de sauvegarde

Members

Utilisateurs

Account: TEST3\Utilisateurs

Members

TESTAD\Domain Users	Domain Users
---------------------	--------------

Utilisateurs avec pouvoir

Account: TEST3\Utilisateurs avec pouvoir

Members

Utilisateurs du Bureau à distance

Account: TEST3\Utilisateurs du Bureau à distance

Members

Shares

\\TEST3\ADMIN\$	D:\WINDOWS	Administration à distance
\\TEST3\C\$	C:\	Partage par défaut
\\TEST3\D\$	D:\	Partage par défaut
\\TEST3\IPC\$		IPC distant

Hot fixes

Q147222

Software

Product name	Version	Installed
EvenTrigger	1.62.0000	07/02/03
Previous Versions Client	1.0.0	07/01/03
WebFldrs XP	9.50.5318	06/24/03
WinReporter	2.0.000	07/02/03

Network Configuration

DNS	Servers		IPs	Gateways	MAC
	Servers	Suffixes			
Adapter	Dhcp				
Carte Fast Ethernet C110TX PCI Amertek	0	10.1.3.3/255.255.0.0	10.1.1.1	00-40-05-A6-72-0E	

Network Protocols

NDIS mode utilisateur E/S Protocole	Pilote réseau étendu NDIS d'accès distant
Protocole client WINS (TCP/IP)	Protocole Internet (TCP/IP)
Protocole point à point via Ethernet	Protocole PPTP (Point to Point Tunneling Protocol)
Protocole TCP/IP orienté messages (session SMB)	Protocole Tunneling de la couche 2

Client services

Client pour les réseaux Microsoft	WebClient
-----------------------------------	-----------

Server Services

Classificateur de paquets générique	Client de connexion par modem
Configuration automatique sans fil	Gestionnaire de connexions d'accès distant
Interface NetBIOS	Partage de fichiers et d'imprimantes pour les réseaux Microsoft
Passerelle de la couche Application	Planificateur de paquets QoS
QoS RSVP	Serveur d'accès distant
Steelhead	

Disk Partitions

Volume	Size (GB)	Free space (GB)	File system	Volume name
C	1,00	0,06	FAT	TEST3
D	3,03	1,79	NTFS	

Storage device	Type	Volume	Cable	Position
Lecteur de disquettes	Floppy	A		
IBM-DCAA-34330	Disk	C D	0	0
GoldStar CD-ROM CRD-8240B	CD-ROM	E	0	1

Video configuration

Type	Memory (MB)	Colors	Resolution (H)	Resolution (V)
S3 ViRGE DX/GX	2,00	16	1024	768

Processors

CPU idle time: 97,84%

Model	Vendor	Frequency (MHz)	Bus (MHz)	L1 (KB)	L2 (KB)	L3 (KB)
Pentium MMX	Intel	200	66			

Memory

RAM: 64 MB

In use: 109 MB

Swap file path	Min size (MB)	Max size (MB)	Size (MB)	Usage (%)	Usage Peak (%)
D:\pagefile.sys	96	192	96	52,2	52,9

Memory Slot	Installed (MB)	Max (MB)	Type	Speed (MHz)
SIMM3&4-1	32	64		
SIMM1&2-1	32	64		
SIMM1&2-2	0	64		
SIMM3&4-2	0	64		

TEST4

Type : Windows NT, Server sharing print queue
Operating System: Windows 2000 **Langage:** French
Service Pack: Service Pack 3
Internet Explorer: 6.0
Installation date: 28/08/2002 11:40:51 **Last boot date:** 25/06/2003 07:04:49
Last User: TESTAD\administrator
Registered User: jnh
Registered Organization: isd
System folder: C:\WINNT
Program files folder: C:\Program Files
Common folder: C:\Program Files\Fichiers communs
BIOS Type: Award Modular BIOS v4.51PG
BIOS Date: 07/02/98
Model: Pentium II System
Manufacturer:
Serial:
Motherboard: 440BX
Motherboard manufacturer:
Motherboard serial:

Services

Internal Name	Display Name	Start Mode
Messenger	Affichage des messages	Automatic
PolicyAgent	Agent de stratégie IPSEC	Automatic
RpcSs	Appel de procédure distante (RPC)	Automatic
Alerter	Avertissement	Manual
SCardSvr	Carte à puce	Manual
TrkWks	Client de suivi de lien distribué	Automatic
Dhcp	Client DHCP	Automatic
Dnscache	Client DNS	Automatic
Netman	Connexions réseau	Manual
NetDDE	DDE réseau	Manual
MSDTC	Distributed Transaction Coordinator	Manual
NetDDEdsdm	DSDM DDE réseau	Manual
ProtectedStorage	Emplacement protégé	Automatic
EvenTrigger	EvenTrigger	Automatic
Browser	Explorateur d'ordinateur	Automatic
Wmi	Extensions du pilote WMI	Manual
NtLmSsp	Fournisseur de la prise en charge de sécurité LM NT	Manual

AppMgmt	Gestion d'applications	Manual
UtilMan	Gestionnaire d'utilitaires	Manual
SamSs	Gestionnaire de comptes de sécurité	Automatic
RasAuto	Gestionnaire de connexion automatique d'accès distant	Manual
RasMan	Gestionnaire de connexions d'accès distant	Manual
dmserver	Gestionnaire de disque logique	Automatic
ClipSrv	Gestionnaire de l'Album	Manual
W32Time	Horloge Windows	Automatic
WinMgmt	Infrastructure de gestion Windows	Automatic
Eventlog	Journal des événements	Automatic
SysmonLog	Journaux et alertes de performance	Manual
LWNTEventAgent	LANware NT Event Log Agent	Manual
LWNTEventRepository	LANware NT Event Repository	Manual
RpcLocator	Localisateur d'appels de procédure distante (RPC)	Manual
NtmsSvc	Médias amovibles	Automatic
wuauserv	Mises à jour automatiques	Automatic
SENS	Notification d'événement système	Automatic
UPS	Onduleur	Manual
Netlogon	Ouverture de session réseau	Automatic
mnmsrvc	Partage de Bureau à distance NetMeeting	Manual
SharedAccess	Partage de connexion Internet	Manual
Schedule	Planificateur de tâches	Automatic
PlugPlay	Plug-and-Play	Automatic
PrintControl	PrintControl	Automatic
SCardDrv	Prise en charge des cartes à puces	Manual
RSVP	QoS RSVP	Manual
RemoteAccess	Routage et accès distant	Disabled
Ianmanserver	Serveur	Automatic
RemoteRegistry	Service d'accès à distance au Registre	Automatic
dmadmin	Service d'administration du Gestionnaire de disque logique	Manual
IISADMIN	Service d'administration IIS	Automatic
LmHosts	Service d'application d'assistance TCP/IP NetBIOS	Automatic
seclogon	Service d'exécution par délégation	Automatic
cisvc	Service d'indexation	Manual
W3SVC	Service de publication World Wide Web	Automatic
Fax	Service de télécopie	Manual
BITS	Service de transfert intelligent en arrière-plan	Manual
SMTPSVC	Simple Mail Transfer Protocol (SMTP)	Automatic
Spooler	Spouleur d'impression	Automatic
Ianmanworkstation	Station de travail	Automatic
EventSystem	Système d'événements de COM+	Manual
TapiSrv	Téléphonie	Manual
TIntSvr	Telnet	Manual
MSIServer	Windows Installer	Manual

Users

Administrateur

SID: S-1-5-21-1801674531-1682526488-1606980848-500
Account: TEST4\Administrateur
Full name:
Comment:
Last Logon: 23/06/2003 10:07:16 **Last Logoff:**
Privilege: Administrator

Invité

SID: S-1-5-21-1801674531-1682526488-1606980848-501
Account: TEST4\Invité
Full name:
Comment:
Last Logon: **Last Logoff:**
Privilege: Guest

IUSR_TEST4

SID: S-1-5-21-1801674531-1682526488-1606980848-1001
Account: TEST4\IUSR_TEST4
Full name: Compte Invité Internet
Comment: Compte intégré pour accès anonyme à IIS
Last Logon: 30/06/2003 20:58:32 **Last Logoff:**
Privilege: Guest

IWAM_TEST4

SID: S-1-5-21-1801674531-1682526488-1606980848-1002
Account: TEST4\IWAM_TEST4
Full name: Démarrer le compte de l'invité Internet
Comment: Compte intégré pour des services Internet (IIS) afin de démarrer les applications hors processus
Last Logon: **Last Logoff:**
Privilege: Guest

jnh

SID: S-1-5-21-1801674531-1682526488-1606980848-1000
Account: TEST4\jnh
Full name: jnh
Comment:
Last Logon: **Last Logoff:**
Privilege: Administrator

Groups

Administrateurs

Account: TEST4\Administrateurs

Members

TEST4\Administrateur	
TEST4\jnh	jnh
TESTAD\Domain Admins	Domain Admins

Duplicateurs

Account: TEST4\Duplicateurs

Members

Invités

Account: TEST4\Invités

Members

TEST4\Invité	
TEST4\IUSR_TEST4	Compte Invité Internet
TEST4\IWAM_TEST4	Démarrer le compte de l'invité Internet

Opérateurs de sauvegarde

Account: TEST4\Opérateurs de sauvegarde

Members

Utilisateurs

Account: TEST4\Utilisateurs

Members

TEST4\jnh	jnh
TESTAD\Domain Users	Domain Users

Utilisateurs avec pouvoir

Account: TEST4\Utilisateurs avec pouvoir

Members

Shares

\\TEST4\ADMIN\$	C:\WINNT	Administration à distance
\\TEST4\C\$	C:\	Partage par défaut
\\TEST4\E\$	E:\	Partage par défaut
\\TEST4\HP2000	HP LaserJet 2000,LocalsplOnly	HP LaserJet 2000
\\TEST4\IPC\$		IPC distant
\\TEST4\PC_NT_DB	C:\Program Files\northern\PrintControl	Common share for administrative tasks
\\TEST4\print\$	C:\WINNT\System32\spool\drivers	Pilotes d'imprimantes
\\TEST4\temp quota	C:\temp quota	

Hot fixes

Software

Product name	Version	Installed
Babylon		06/06/03
CConnect		06/10/03
Data Dynamics ActiveReports 2	2.0.0.1130	08/30/02
EvenTrigger	1.61.0000	11/04/02
EvenTrigger	1.62.0000	07/02/03
LANware NMS Corporate Edition Eval	3.5	03/27/03
LANware NMS Corporate Edition Eval	3.5	03/27/03
Microsoft Office 2000 Premium	9.00.2720	09/03/02
Paint Shop Pro 7	7.0.2.0000	08/29/02
Panda Invent		04/10/03
PowerToy Fenêtre de commandes contextuelle		09/02/02
RemoteExec 3.0 beta		11/05/02
RoboHELP Office		08/29/02
Sniffer Pro 4.7		06/19/03
Startup Control Panel	2.7.0.0	06/10/03
Terminal Services Client	5.1.2219	06/17/03
WebFldrs	9.00.3501	08/28/02
Windows 2000 Service Pack 3		09/18/02
WinReporter	2.0.000	07/01/03
WinZip		09/05/02

Network Configuration

DNS	Servers		Gateways	MAC
	Suffixes	IPs		
Adapter	Dhcp			
Carte réseau 3Com EtherLink XL 10/100 PCI pour gestion intégrale de PC (3C905C-TX)	0	10.1.3.4/255.255.0.0	10.1.1.1	00-01-03-4A-03-1A

Network Protocols

Pilote réseau étendu NDIS d'accès distant	Protocole du client WINS (TCP/IP)
Protocole Internet (TCP/IP)	Protocole PPTP (Point to Point Tunneling Protocol)
Protocole TCP/IP orienté messages (session SMB)	Protocole Tunneling de la couche 2
SNIFFER Protocol Driver	

Client services

Client pour les réseaux Microsoft

Server Services

Classificateur de paquets générique	Client de connexion par modem
Gestionnaire de connexions d'accès distant	Interface NetBIOS
Partage de fichiers et d'imprimantes pour les réseaux Microsoft	QoS RSVP
Serveur d'accès distant	Steelhead

Disk Partitions

Volume	Size (GB)	Free space (GB)	File system	Volume name
C	3,01	0,20	NTFS	
E	4,00	1,71	NTFS	

Storage device	Type	Volume	Cable	Position
Lecteur de disquettes	Floppy	A		
FUJITSU MPC3032AT	Disk	C	0	0
HITACHI DVD-ROM GD-2500	CD-ROM	D	0	1
ST34321A	Disk	E	1	0

Video configuration

Type	Memory (MB)	Colors	Resolution (H)	Resolution (V)
Cirrus Logic 5446 Carte graphique compatible	1,00	16	800	600

Processors

CPU idle time: 73,89%

Model	Vendor	Frequency (MHz)	Bus (MHz)	L1 (KB)	L2 (KB)	L3 (KB)
Pentium II	Intel	233	100			
Pentium II	Intel	233	100			

Memory

RAM: 256 MB **In use:** 116 MB

Swap file path	Min size (MB)	Max size (MB)	Size (MB)	Usage (%)	Usage Peak (%)
C:\pagefile.sys	384	768	384	12,4	25,1

Memory Slot	Installed (MB)	Max (MB)	Type	Speed (MHz)
DIMM1	128	256		
DIMM2	128	256		

DIMM3	0	256
DIMM4	0	256

Local & shared printers

Name	Port	Paper	DPI	Speed
HP LaserJet 2000	LPT1:	A4 210 x 297 mm	300	20

Domain Users

Administrator

SID: S-1-5-21-1057814657-3382833435-3029296300-500
Account: TESTAD\Administrator
Full name:
Comment:
Last Logon: 03/07/2003 06:01:57 **Last Logoff:**
Privilege: Administrator

Guest

SID: S-1-5-21-1057814657-3382833435-3029296300-501
Account: TESTAD\Guest
Full name:
Comment:
Last Logon: **Last Logoff:**
Privilege: Guest

IUSR_TEST10

SID: S-1-5-21-1057814657-3382833435-3029296300-1125
Account: TESTAD\IUSR_TEST10
Full name: Internet Guest Account
Comment: Built-in account for anonymous access to Internet Information Services
Last Logon: **Last Logoff:**
Privilege: User

krbtgt

SID: S-1-5-21-1057814657-3382833435-3029296300-502
Account: TESTAD\krbtgt
Full name:
Comment:
Last Logon: **Last Logoff:**
Privilege: User

puser

SID: S-1-5-21-1057814657-3382833435-3029296300-1124
Account: TESTAD\puser
Full name: puser
Comment:
Last Logon: 25/06/2003 16:40:26 **Last Logoff:**
Privilege: User

remoteadmin

SID: S-1-5-21-1057814657-3382833435-3029296300-1003
Account: TESTAD\remoteadmin
Full name: remoteadmin
Comment:
Last Logon: 24/06/2003 15:26:39 **Last Logoff:**
Privilege: Administrator

SUPPORT_388945a0

SID: S-1-5-21-1057814657-3382833435-3029296300-1001
Account: TESTAD\SUPPORT_388945a0
Full name: CN=Microsoft Corporation,L=Redmond,S=Washington,C=US
Comment:
Last Logon: **Last Logoff:**
Privilege: User

testeur1

SID: S-1-5-21-1057814657-3382833435-3029296300-1115
Account: TESTAD\testeur1
Full name: 1
Comment:
Last Logon: 01/07/2003 12:44:48 **Last Logoff:**
Privilege: User

testeur2

SID: S-1-5-21-1057814657-3382833435-3029296300-1116
Account: TESTAD\testeur2
Full name: testeur2
Comment:
Last Logon: 01/07/2003 09:58:55 **Last Logoff:**
Privilege: User

testeur3

SID: S-1-5-21-1057814657-3382833435-3029296300-1117
Account: TESTAD\testeur3
Full name: testeur3
Comment:
Last Logon: 25/06/2003 16:09:07 **Last Logoff:**
Privilege: User

testeur4

SID: S-1-5-21-1057814657-3382833435-3029296300-1118
Account: TESTAD\testeur4
Full name: testeur4
Comment:
Last Logon: **Last Logoff:**
Privilege: User

testeur5

SID: S-1-5-21-1057814657-3382833435-3029296300-1119
Account: TESTAD\testeur5
Full name: testeur5
Comment:
Last Logon: **Last Logoff:**
Privilege: User

Domain Groups

Account Operators

Account: TESTAD\Account Operators

Members

Administrators

Account: TESTAD\Administrators

Members

TESTAD\Administrator	
TESTAD\Domain Admins	Domain Admins
TESTAD\Enterprise Admins	Enterprise Admins
TESTAD\remoteadmin	remoteadmin

Backup Operators

Account: TESTAD\Backup Operators

Members

Cert Publishers

Account: TESTAD\Cert Publishers

Members

DnsAdmins

Account: TESTAD\DnsAdmins

Members

DnsUpdateProxy

Account: TESTAD\DnsUpdateProxy

Members

Domain Admins

Account: TESTAD\Domain Admins

Members

TESTAD\Administrator	
----------------------	--

Domain Computers

Account: TESTAD\Domain Computers

Members

Domain Controllers

Account: TESTAD\Domain Controllers

Members

Domain Guests

Account: TESTAD\Domain Guests

Members

TESTAD\Guest	
--------------	--

Domain Users

Account: TESTAD\Domain Users

Members

TESTAD\Administrator	
TESTAD\IUSR_TEST10	Internet Guest Account
TESTAD\krbtgt	
TESTAD\puser	puser
TESTAD\remoteadmin	remoteadmin
TESTAD\SUPPORT_388945a0	CN=Microsoft Corporation,L=Redmond,S=Washington,C=US
TESTAD\testeur1	1
TESTAD\testeur2	testeur2
TESTAD\testeur3	testeur3
TESTAD\testeur4	testeur4
TESTAD\testeur5	testeur5

Enterprise Admins

Account: TESTAD\Enterprise Admins

Members

TESTAD\Administrator	
----------------------	--

gr13

Account: TESTAD\gr13

Members

TESTAD\testeur1	1
TESTAD\testeur2	testeur2
TESTAD\testeur3	testeur3

gr15

Account: TESTAD\gr15

Members

TESTAD\testeur1	1
TESTAD\testeur2	testeur2
TESTAD\testeur3	testeur3
TESTAD\testeur4	testeur4
TESTAD\testeur5	testeur5

gr35

Account: TESTAD\gr35

Members

TESTAD\testeur3	testeur3
TESTAD\testeur4	testeur4
TESTAD\testeur5	testeur5

Group Policy Creator Owners

Account: TESTAD\Group Policy Creator Owners

Members

TESTAD\Administrator	
----------------------	--

Guests

Account: TESTAD\Guests

Members

TESTAD\Domain Guests	Domain Guests
TESTAD\Guest	
TESTAD\IUSR_TEST10	Internet Guest Account

HelpServicesGroup

Account: TESTAD\HelpServicesGroup

Members

TESTAD\SUPPORT_388945a0	CN=Microsoft Corporation,L=Redmond,S=Washington,C=US
-------------------------	--

IIS_WPG

Account: TESTAD\IIS_WPG

Members

Incoming Forest Trust Builders

Account: TESTAD\Incoming Forest Trust Builders

Members

Network Configuration Operators

Account: TESTAD\Network Configuration Operators

Members

Performance Log Users

Account: TESTAD\Performance Log Users

Members

Performance Monitor Users

Account: TESTAD\Performance Monitor Users

Members

**Pre-Windows 2000
Compatible Access**Account: TESTAD\Pre-Windows 2000 Compatible
Access**Members**

Print Operators

Account: TESTAD\Print Operators

Members

TESTAD\puser	puser
--------------	-------

RAS and IAS Servers

Account: TESTAD\RAS and IAS Servers

Members

Remote Desktop Users

Account: TESTAD\Remote Desktop Users

Members

Replicator

Account: TESTAD\Replicator

Members

Schema Admins

Account: TESTAD\Schema Admins

Members

TESTAD\Administrator	
----------------------	--

Server Operators

Account: TESTAD\Server Operators

Members

TelnetClients

Account: TESTAD\TelnetClients

Members

**Terminal Server License
Servers**

Account: TESTAD\Terminal Server License Servers

Members

Users

Account: TESTAD\Users

Members

TESTAD\Domain Users	Domain Users
---------------------	--------------

**Windows Authorization
Access Group**
Members

Account: TESTAD\Windows Authorization Access
Group

